

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/30/2015

Reviewed on 04/30/2015

* 1 Identification

- **Product identifier**
- **Trade name:** Clip Presorb
- **Article number:** 2020
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture**
Drycleaning booster for the first bath with good soil removing- and excellent bad smell absorbing properties.
For use in perchlorethylene and hydrocarbon.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
- **Manufacturer:**
Chemische Fabrik Kreussler & Co. GmbH
Postfach 120454
D-65082 Wiesbaden
- **Supplier:**
Kreussler Inc., 6103 Johns Road Suit 7, Tampa, FL 33634,
Phone 813-884-1499, Fax 813-884-1599,
Internet: www.kreussler.com, e-mail: office-tampa@kreussler.com
- **Information department:**
Abteilung TQM
Herr Heiko Schmidt
+49 (0) 611 9271-144
Heiko.Schmidt@kreussler.com
- **Emergency telephone number:** +49 (0) 611 9271-0

* 2 Hazard(s) identification

- **Classification of the substance or mixture**
Skin Irrit. 2 H315 Causes skin irritation.
Eye Dam. 1 H318 Causes serious eye damage.
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**
Irritant
Irritating to skin. Risk of serious damage to eyes.
- **Information concerning particular hazards for human and environment:**
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- **Classification system:**
The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.
- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard statements**
Causes skin irritation.
Causes serious eye damage.
Harmful to aquatic life with long lasting effects.

(Contd. on page 2)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/30/2015

Reviewed on 04/30/2015

Trade name: Clip Presorb

(Contd. of page 1)

Precautionary statements

Wear protective gloves / eye protection.

Avoid release to the environment.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

If on skin: Wash with plenty of water.

Classification system:

NFPA ratings (scale 0 - 4)



Health = 2

Fire = 1

Reactivity = 0

HMIS-ratings (scale 0 - 4)



Health = 2

Fire = 1

Reactivity = 0

Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

* 3 Composition/information on ingredients

Chemical characterization: Mixtures

Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components:

	perfumes Xi R38-43; N R51/53	≤1%
112-34-5	2-(2-butoxyethoxy)ethanol Xi R36	5.0-15%
1322-98-1	Benzenesulfonic acid, C10-13 alkyl derivatives, sodium salt Xi R38-41	5.0-15%
157627-86-6	Aliphatic alcohol, C13-15, predominantly linear, ethoxylated Xi R41; N R50	5.0-15%
97489-15-1	Sulfonic acids, C14-17-sec-alkane, sodium salts Xn R22; Xi R38-41	5.0-15%
157627-86-6	Alcohols C13-C15 branched and linear, ethoxylated Xn R22; Xi R41	5.0-15%
68425-47-8	Soyafattyacid-diethanolamide Xi R38-41	1.0-5.0%
120313-48-6	alcohols C12 – C15 ethoxylated, propoxylated Xi R38; N R50	1.0-5.0%
68439-50-9	alcohol C12-14, ethoxylated Xi R41; N R50	≤1%
111-42-2	2,2'-iminodiethanol Xn R22-48/22; Xi R38-41	≤0.1%

Additional information: For the wording of the listed risk phrases refer to section 16.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/30/2015

Reviewed on 04/30/2015

Trade name: Clip Presorb

(Contd. of page 2)

* 4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
If skin irritation continues, consult a doctor.
Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

* 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

* 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
No dangerous substances are released.
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

* 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

(Contd. on page 4)

— US —

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/30/2015

Reviewed on 04/30/2015

Trade name: Clip Presorb

(Contd. of page 3)

Control parameters

Components with limit values that require monitoring at the workplace:

112-34-5 2-(2-butoxyethoxy)ethanol (5.0-15%)

TLV Long-term value: 67.5* mg/m³, 10* ppm

*Inhalable fraction and vapor

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Breathing equipment: Not required.

Protection of hands:



Protective gloves

Material of gloves

PVC or PE gloves

Recommended thickness of the material: ≥ 0.4 mm

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

Body protection: Protective work clothing

* 9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form: Fluid

Color: Yellow

Odor: Characteristic

Odour threshold: Not determined.

pH-value at 20 °C (68 °F): 6.9

Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: Undetermined.

Flash point: > 100 °C (> 212 °F) (ASTMD93(PMCC))

Flammability (solid, gaseous): Not applicable.

Ignition temperature:

Decomposition temperature: Not determined.

Auto igniting: Product is not selfigniting.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/30/2015

Reviewed on 04/30/2015

Trade name: Clip Presorb

(Contd. of page 4)

· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Undetermined.
· Density at 20 °C (68 °F):	0.97 g/cm ³ (8.095 lbs/gal)
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic at 20 °C (68 °F):	65 mPas
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	0.1 %
· Other information	No further relevant information available.

* 10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

* 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· LD/LC50 values that are relevant for classification:		
112-34-5 2-(2-butoxyethoxy)ethanol		
Oral	LD-50	3384 mg/kg (rat)
Dermal	LD-50	2700 mg/kg (bunny)
1322-98-1 Benzenesulfonic acid, C10-13 alkyl derivatives, sodium salt		
Oral	LD-50	2000 - 5000 mg/kg (rat) (OECD 401)
Dermal	LD-50	>2000 mg/kg (rat) (OECD 402)
157627-86-6 Aliphatic alcohol, C13-15, predominantly linear, ethoxylated		
Oral	LD-50	>2000 mg/kg (rat)
	EC-10 16 h	> 10000 mg/L (Pseudomonas putida)
97489-15-1 Sulfonic acids, C14-17-sec-alkane, sodium salts		
Oral	LD-50	>2000 mg/kg (rat)
Dermal	LD-50	>2000 mg/kg (mouse)
157627-86-6 Alcohols C13-C15 branched and linear, ethoxylated		
Oral	LD-50	>2000 mg/kg (rat)

(Contd. on page 6)

— US —

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/30/2015

Reviewed on 04/30/2015

Trade name: Clip Presorb

(Contd. of page 5)

68425-47-8 Soyafattyacid-diethanolamide		
Oral	LD-50	19700 mg/kg (rat)
120313-48-6 alcohols C12 – C15 ethoxylated, propoxylated		
Oral	LD-50	>2000 mg/kg (rat)
111-42-2 2,2'-iminodiethanol		
Oral	LD-50	710 mg/kg (rat)
Dermal	LD-50	12200 mg/kg (bunny)

- **Primary irritant effect:**

- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Strong irritant with the danger of severe eye injury.
- **Sensitization:** No sensitizing effects known.

- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

- **Carcinogenic categories**

• IARC (International Agency for Research on Cancer)		
111-42-2	2,2'-iminodiethanol	2B
• NTP (National Toxicology Program)		
None of the ingredients is listed.		
• OSHA-Ca (Occupational Safety & Health Administration)		
None of the ingredients is listed.		

* 12 Ecological information

- **Toxicity**

- **Aquatic toxicity:**

112-34-5 2-(2-butoxyethoxy)ethanol	
EC-10 (17 h)	1170 mg/l (Pseudomonas putida)
EC-50 24h	2850 mg/l (Daphnia magna)
LC-50 96h	1300 mg/l (Lepomis macrochirus)
NOEC (96h)	>100 mg/l (Desmodesmus subspicatus)
1322-98-1 Benzenesulfonic acid, C10-13 alkyl derivatives, sodium salt	
EC-50 48h	>1-10 mg/l (Daphnia magna) (OECD 202, Teil 1)
EC-50 72h	>10-100 mg/l (Desmodesmus subspicatus) (OECD 201)
LC-50 96h	>1-10 mg/l (Cyprinus carpio) (OECD 203; ISO 7346; 92/69/EWG, C.1)
NOEC (21) d	> 1 - 10 mg/l (Daphnia magna) (OECD 211)
NOEC (72 d)	> 0.1 - 1 mg/L (Oncorhynchus mykiss) (Durchflusstest)
157627-86-6 Aliphatic alcohol, C13-15, predominantly linear, ethoxylated	
EC-50 48h	0.1 - 1 mg/l (aquatische Invertebraten)
EC-50 72h	0.1-1 mg/l (Scenedesmus subspicatus)
LC-50 96h	1-10 mg/l (Brachydanio rerio)
97489-15-1 Sulfonic acids, C14-17-sec-alkane, sodium salts	
EC-50	9.81 mg/l (Daphnia magna) (OECD 202)
EC-50 72h	>61 mg/l (Scenedesmus subspicatus)
LC-50	1-10 mg/l (Zebrafisch) (OECD 203)
NOEC (16 h)	600 mg/L (Pseudomonas putida) (DIN 38412 T.8)
NOEC (56 d)	470 mg/kg (Eisenia fetida) (OECD 222)

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/30/2015

Reviewed on 04/30/2015

Trade name: Clip Presorb

(Contd. of page 6)

157627-86-6 Alcohols C13-C15 branched and linear,ethoxylated	
EC-10	>1000 mg/L (Belechtschlamm)
EC-50 48h	1-10 mg/l (Daphnia magna) (Literaturangabe)
EC-50 72h	1 - 10 mg/l (Scenedesmus subspicatus) (Literaturangabe)
LC-50 96h	1-10 mg/l (Brachydanio rerio)
68425-47-8 Soyafattyacid-diethanolamide	
EC-50	> 100 mg/l (Pseudomonas putida)
LC-50	>1 -10 mg/l (Pseudomonas putida)
120313-48-6 alcohols C12 – C15 ethoxylated, propoxylated	
LC-50 96h	1-10 mg/l (Leuciscus idus)
NOEC (21) d	0.25 mg/l (Daphnia magna)
111-42-2 2,2'-iminodiethanol	
EC-50 16h	>1000 mg/l (Pseudomonas putida)
EC-50 48h (static)	55 mg/l (Daphnia magna)
EC-50 96h (static)	1-10 mg/l (Pseudokirchneriella subscapitata)
LC-0	0.2 mg/l (rat)
LC-50 96h (static)	>100 mg/l (Pimephales promelas)
NOEC (21) d	0.1-1 mg/l (Daphnia magna)

• **Persistence and degradability** No further relevant information available.

• **Behavior in environmental systems:**

• **Bioaccumulative potential** No further relevant information available.

• **Mobility in soil** No further relevant information available.

• **Additional ecological information:**

• **General notes:**

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Do not allow product to reach ground water, water course or sewage system.

The product may not be released into the environment without control.

• **Results of PBT and vPvB assessment**

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

• **Other adverse effects** No further relevant information available.

* 13 Disposal considerations

• **Waste treatment methods**

• **Recommendation:** Dispose of in accordance with local, state, and federal Regulations.

• **Uncleaned packagings:**

• **Recommendation:** Disposal must be made according to official regulations.

• **Recommended cleansing agent:** Water, if necessary with cleansing agents.

* 14 Transport information

• UN-Number	
• DOT, ADR, ADN, IMDG, IATA	Void
• UN proper shipping name	
• DOT, ADR, ADN, IMDG, IATA	Void

(Contd. on page 8)

— US —

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/30/2015

Reviewed on 04/30/2015

Trade name: Clip Presorb

(Contd. of page 7)

· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA	
· Class	Void
· Packing group	
· DOT, ADR, IMDG, IATA	Void
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	-

* 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

111-42-2 | 2,2'-iminodiethanol

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

111-42-2 | 2,2'-iminodiethanol

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

111-42-2 | 2,2'-iminodiethanol

A3

· MAK (German Maximum Workplace Concentration)

111-42-2 | 2,2'-iminodiethanol

3B

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Canadien Substances Listings:

· Canadien Domestic Substances List (DSL):

All ingredients are listed.

· Canadien Ingredient disclosure list (limit 0.1%)

All ingredients are listed.

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/30/2015

Reviewed on 04/30/2015

Trade name: Clip Presorb

(Contd. of page 8)

• Canadian Ingredient disclosure list (limit 1%)

112-34-5	2-(2-butoxyethoxy)ethanol
1322-98-1	Benzenesulfonic acid, C10-13 alkyl derivatives, sodium salt

• GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

• Hazard pictograms



GHS05

• Signal word Danger

• Hazard statements

Causes skin irritation.

Causes serious eye damage.

Harmful to aquatic life with long lasting effects.

• Precautionary statements

Wear protective gloves / eye protection.

Avoid release to the environment.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

If on skin: Wash with plenty of water.

• National regulations:

• Technical instructions (air):

Class	Share in %
NK	≤0,1

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

* 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The information of Items 4 through 8 and 10 through 12 partially refers not to the use and the proper application of the product (see Directions for Use/Product Information) but to the release of larger quantities in the case of accidents and irregularities.

The information exclusively describes the safety requirements of the product(s) and is based on the present state of our experience.

Non-ionic tensides can have varying characteristics and classifications despite same CAS-No.

• Department issuing SDS:

Departent TQM

Herr Heiko Schmidt

+49 (0) 611/9271-144

• Contact: Herr Heiko Schmidt

• Date of preparation / last revision 04/30/2015 / 4

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

(Contd. on page 10)

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/30/2015

Reviewed on 04/30/2015

Trade name: Clip Presorb

(Contd. of page 9)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

· *** Data compared to the previous version altered.**

— US —