



OxiClean™ Max Force™ Laundry Stain Remover (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Revision Date: 08/12/2022

Date of Issue: 04/21/2015

Supersedes Date: 02/01/2018

Version: 3.0

SECTION 1: IDENTIFICATION

Product Identifier

Product Form: Mixture

Product Name: OxiClean™ Max Force™ Laundry Stain Remover (NA GHS 2015)

Product Code: 40500533

Synonyms: OxiClean™ Baby Stain Remover

Intended Use of the Product

Multi-purpose stain remover

Name, Address, and Telephone of the Responsible Party

Company

Church & Dwight Co. Inc.

500 Charles Ewing Blvd

Ewing Township, NJ 08628

T 1-800-524-1328

www.churchdwight.com

Emergency Telephone Number

Emergency Number : For Medical Emergency: 1-888-234-1828 (USA and Canada), 952-853-1925 (Outside USA and Canada)

For Chemical Emergency: ChemTel LLC (800)255-3924 (North America) +1 (813)248-0585 (International)

SECTION 2: HAZARDS IDENTIFICATION

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this SDS differ from the labeling requirements of the CPSC and, as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

Classification of the Substance or Mixture

GHS-US/CA Classification

Serious eye damage/eye irritation Category 1

H318

Skin sensitization, Category 1

H317

Hazardous to the aquatic environment - Acute Hazard Category 2

H401

Label Elements

GHS-US/CA Labeling

Hazard Pictograms (GHS-US/CA)

:



GHS05



GHS07

Signal Word (GHS-US/CA)

: Danger

Hazard Statements (GHS-US/CA)

: H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage.

H401 - Toxic to aquatic life.

Precautionary Statements (GHS-US/CA)

: P261 - Avoid breathing vapors, mist, or spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, and eye protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor.

P321 - Specific treatment (see section 4 on this SDS).

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

OxiClean™ Max Force™ Laundry Stain Remover (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

P362+P364 - Take off contaminated clothing and wash it before reuse.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

Unknown Acute Toxicity (GHS-US/CA)

No additional information available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Name	Product Identifier	% *	GHS Ingredient Classification
Alcohols, C12-15, ethoxylated	(CAS-No.) 68131-39-5	11-18	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Alcohols, C10-16, ethoxylated	(CAS-No.) 68002-97-1	≤ 6.75	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400
Alcohols, C12-16, ethoxylated	(CAS-No.) 68551-12-2	≤ 6.75	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Aquatic Acute 2, H401
1,2-Propanediol	(CAS-No.) 57-55-6	3 – 3.1	Not classified
Borax (B4Na2O7.10H2O)	(CAS-No.) 1303-96-4	0.1-1	Eye Irrit. 2A, H319 Repr. 1B, H360
Alkyl imino dipropionic acid, monosodium salt	(CAS-No.) 64972-18-5	0.15 – 0.3	Eye Irrit. 2B, H320
Sodium hydroxide	(CAS-No.) 1310-73-2	0.18 – 0.19	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Acute 3, H402
1,2-Benzisothiazol-3(2H)-one	(CAS-No.) 2634-33-5	0.0047 – 0.0067	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Comb. Dust
3(2H)-Isothiazolone, 2-methyl-	(CAS-No.) 2682-20-4	0.0047 – 0.0053	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 2 (Inhalation:dust,mist), H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Diphenyl oxide	(CAS-No.) 101-84-8	0.0003 – 0.003	Eye Irrit. 2A, H319 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Isoamyl acetate	(CAS-No.) 123-92-2	0.0003 – 0.003	Flam. Liq. 3, H226 Aquatic Acute 3, H402
2-Phenoxyethanol	(CAS-No.) 122-99-6	< 0.0014	Acute Tox. 4 (Oral), H302

OxiClean™ Max Force™ Laundry Stain Remover (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

			Eye Irrit. 2A, H319
Ethylene oxide	(CAS-No.) 75-21-8	< 0.00045	Flam. Gas 1, H220 Press. Gas (Comp.), H280 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Inhalation:gas), H331 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Muta. 1B, H340 Carc. 1B, H350 STOT SE 3, H335 STOT RE 1, H372 Aquatic Acute 3, H402 Aquatic Chronic 3, H412

Full text of H-statements: see section 16

*Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%). The actual concentration of ingredient(s) is withheld as a trade secret in accordance with the Hazardous Products Regulations (HPR) SOR/2015-17 and 29 CFR 1910.1200.

SECTION 4: FIRST AID MEASURES

Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation/rash develops or persists.

Eye Contact: Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention. Remove contact lenses, if present and easy to do. Continue rinsing.

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

Most Important Symptoms and Effects Both Acute and Delayed

General: Causes serious eye damage. Skin sensitization.

Inhalation: Prolonged exposure may cause irritation.

Skin Contact: May cause an allergic skin reaction.

Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva.

Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None known. May produce an allergic reaction.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Water spray, dry chemical, foam, carbon dioxide. Water spray, fog, carbon dioxide (CO₂), alcohol-resistant foam, or dry chemical.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Sodium oxides.

Other Information: Do not allow run-off from fire fighting to enter drains or water courses.

OxiClean™ Max Force™ Laundry Stain Remover (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Reference to Other Sections

Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not breathe vapor, mist or spray. Do not get in eyes, on skin, or on clothing.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

Methods and Materials for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clean up spills and dispose of waste safely. Wipe up spills with disposable towels. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid breathing vapors, mist, spray. Do not get in eyes, on skin, or on clothing.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Strong acids, strong bases, strong oxidizers.

Specific End Use(s)

Multi-purpose stain remover

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

1,2-Propanediol (57-55-6)		
USA AIHA	WEEL TWA	10 mg/m ³
Ontario	OEL TWA	10 mg/m ³ (for assessing the visibility in a work environment where 1,2-Propylene glycol aerosol is present-aerosol only) 155 mg/m ³ (aerosol and vapor)
Ontario	OEL TWA [ppm]	50 ppm (aerosol and vapor)
Borax (B4Na2O7.10H2O) (1303-96-4)		
USA ACGIH	ACGIH OEL TWA	2 mg/m ³ (inhalable particulate matter (Borate compounds, inorganic))
USA ACGIH	ACGIH OEL STEL	6 mg/m ³ (inhalable particulate matter (Borate compounds, inorganic))
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen
USA NIOSH	NIOSH REL (TWA)	5 mg/m ³

OxiClean™ Max Force™ Laundry Stain Remover (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Alberta	OEL STEL [ppm]	3 ppm (Borates, tetra, sodium salts)
Alberta	OEL TWA	1 mg/m ³ (Borates, tetra, sodium salts)
British Columbia	OEL STEL	6 mg/m ³ (inhalable (Borate compounds, inorganic))
British Columbia	OEL TWA	2 mg/m ³ (inhalable (Borate compounds, inorganic))
Manitoba	OEL STEL	6 mg/m ³ (inhalable particulate matter (Borate compounds, inorganic))
Manitoba	OEL TWA	2 mg/m ³ (inhalable particulate matter (Borate compounds, inorganic))
New Brunswick	OEL TWA	5 mg/m ³
Newfoundland & Labrador	OEL STEL	6 mg/m ³ (inhalable particulate matter (Borate compounds, inorganic))
Newfoundland & Labrador	OEL TWA	2 mg/m ³ (inhalable particulate matter (Borate compounds, inorganic))
Nova Scotia	OEL STEL	6 mg/m ³ (inhalable particulate matter (Borate compounds, inorganic))
Nova Scotia	OEL TWA	2 mg/m ³ (inhalable particulate matter (Borate compounds, inorganic))
Nunavut	OEL STEL	6 mg/m ³ (inhalable fraction (Borate compounds, inorganic))
Nunavut	OEL TWA	2 mg/m ³ (inhalable fraction (Borate compounds, inorganic))
Northwest Territories	OEL STEL	6 mg/m ³ (inhalable fraction (Borate compounds, inorganic))
Northwest Territories	OEL TWA	2 mg/m ³ (inhalable fraction (Borate compounds, inorganic))
Ontario	OEL STEL	6 mg/m ³ (inhalable particulate matter (Borate compounds, inorganic))
Ontario	OEL TWA	2 mg/m ³ (inhalable particulate matter (Borate compounds, inorganic))
Prince Edward Island	OEL STEL	6 mg/m ³ (inhalable particulate matter (Borate compounds, inorganic))
Prince Edward Island	OEL TWA	2 mg/m ³ (inhalable particulate matter (Borate compounds, inorganic))
Québec	VEMP (OEL TWA) [ppm]	1 ppm (Benzyl chloride)
Saskatchewan	OEL STEL	6 mg/m ³ (inhalable fraction (Borate compounds, inorganic))
Saskatchewan	OEL TWA	2 mg/m ³ (inhalable fraction (Borate compounds, inorganic))
Sodium hydroxide (1310-73-2)		
USA ACGIH	ACGIH OEL Ceiling	2 mg/m ³
USA OSHA	OSHA PEL (TWA) [1]	2 mg/m ³
USA NIOSH	NIOSH REL (Ceiling)	2 mg/m ³
USA IDLH	IDLH	10 mg/m ³
Alberta	OEL C	2 mg/m ³
British Columbia	OEL C	2 mg/m ³
Manitoba	OEL C	2 mg/m ³
New Brunswick	OEL C	2 mg/m ³
Newfoundland & Labrador	OEL C	2 mg/m ³
Nova Scotia	OEL C	2 mg/m ³
Nunavut	OEL C	2 mg/m ³
Northwest Territories	OEL C	2 mg/m ³
Ontario	OEL C	2 mg/m ³
Prince Edward Island	OEL C	2 mg/m ³
Québec	Plafond (OEL Ceiling)	2 mg/m ³
Saskatchewan	OEL C	2 mg/m ³
Yukon	OEL C	2 mg/m ³
Diphenyl oxide (101-84-8)		
USA ACGIH	ACGIH OEL TWA [ppm]	1 ppm (vapor)

OxiClean™ Max Force™ Laundry Stain Remover (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

USA ACGIH	ACGIH OEL STEL [ppm]	2 ppm (vapor fraction)
USA OSHA	OSHA PEL (TWA) [1]	7 mg/m ³ (vapor)
USA OSHA	OSHA PEL (TWA) [2]	1 ppm (vapor)
USA NIOSH	NIOSH REL (TWA)	7 mg/m ³ (vapor)
USA NIOSH	NIOSH REL TWA [ppm]	1 ppm (vapor)
USA IDLH	IDLH [ppm]	100 ppm (vapor)
Alberta	OEL STEL	14 mg/m ³ (vapour)
Alberta	OEL STEL [ppm]	2 ppm (vapour)
Alberta	OEL TWA	7 mg/m ³ (vapour)
Alberta	OEL TWA [ppm]	1 ppm (vapour)
British Columbia	OEL STEL [ppm]	2 ppm (vapour)
British Columbia	OEL TWA [ppm]	1 ppm (vapour)
Manitoba	OEL STEL [ppm]	2 ppm (vapor fraction)
Manitoba	OEL TWA [ppm]	1 ppm (vapor)
New Brunswick	OEL STEL	14 mg/m ³ (vapor)
New Brunswick	OEL STEL [ppm]	2 ppm (vapor)
New Brunswick	OEL TWA	7 mg/m ³ (vapor)
New Brunswick	OEL TWA [ppm]	1 ppm (vapor)
Newfoundland & Labrador	OEL STEL [ppm]	2 ppm (vapor fraction)
Newfoundland & Labrador	OEL TWA [ppm]	1 ppm (vapor)
Nova Scotia	OEL STEL [ppm]	2 ppm (vapor fraction)
Nova Scotia	OEL TWA [ppm]	1 ppm (vapor)
Nunavut	OEL STEL [ppm]	2 ppm (vapour)
Nunavut	OEL TWA [ppm]	1 ppm (vapour)
Northwest Territories	OEL STEL [ppm]	2 ppm (vapour)
Northwest Territories	OEL TWA [ppm]	1 ppm (vapour)
Ontario	OEL STEL [ppm]	2 ppm (vapor)
Ontario	OEL TWA [ppm]	1 ppm (vapor)
Prince Edward Island	OEL STEL [ppm]	2 ppm (vapor fraction)
Prince Edward Island	OEL TWA [ppm]	1 ppm (vapor)
Québec	VECD (OEL STEL)	14 mg/m ³ (vapour)
Québec	VECD (OEL STEL) [ppm]	2 ppm (vapour)
Québec	VEMP (OEL TWA)	7 mg/m ³ (vapour)
Québec	VEMP (OEL TWA) [ppm]	1 ppm (vapour)
Saskatchewan	OEL STEL [ppm]	2 ppm (vapour)
Saskatchewan	OEL TWA [ppm]	1 ppm (vapour)
Yukon	OEL STEL	14 mg/m ³ (vapour)
Yukon	OEL STEL [ppm]	2 ppm (vapour)
Yukon	OEL TWA	7 mg/m ³ (vapour)
Yukon	OEL TWA [ppm]	1 ppm (vapour)
Isoamyl acetate (123-92-2)		
USA ACGIH	ACGIH OEL TWA [ppm]	50 ppm (Pentyl acetate, all isomers)
USA ACGIH	ACGIH OEL STEL [ppm]	100 ppm (Pentyl acetate, all isomers)
USA OSHA	OSHA PEL (TWA) [1]	525 mg/m ³
USA OSHA	OSHA PEL (TWA) [2]	100 ppm
USA NIOSH	NIOSH REL (TWA)	525 mg/m ³
USA NIOSH	NIOSH REL TWA [ppm]	100 ppm
USA IDLH	IDLH [ppm]	1000 ppm
Alberta	OEL STEL	532 mg/m ³
Alberta	OEL STEL [ppm]	100 ppm
Alberta	OEL TWA	266 mg/m ³

OxiClean™ Max Force™ Laundry Stain Remover (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Alberta	OEL TWA [ppm]	50 ppm
British Columbia	OEL STEL [ppm]	100 ppm (Pentyl acetate, all isomers)
British Columbia	OEL TWA [ppm]	50 ppm (Pentyl acetate, all isomers)
Manitoba	OEL STEL [ppm]	100 ppm (Pentyl acetate, all isomers)
Manitoba	OEL TWA [ppm]	50 ppm (Pentyl acetate, all isomers)
New Brunswick	OEL TWA	532 mg/m ³
New Brunswick	OEL TWA [ppm]	100 ppm
Newfoundland & Labrador	OEL STEL [ppm]	100 ppm (Pentyl acetate, all isomers)
Newfoundland & Labrador	OEL TWA [ppm]	50 ppm (Pentyl acetate, all isomers)
Nova Scotia	OEL STEL [ppm]	100 ppm (Pentyl acetate, all isomers)
Nova Scotia	OEL TWA [ppm]	50 ppm (Pentyl acetate, all isomers)
Nunavut	OEL STEL [ppm]	100 ppm (Pentyl acetate, all isomers)
Nunavut	OEL TWA [ppm]	50 ppm (Pentyl acetate, all isomers)
Northwest Territories	OEL STEL [ppm]	100 ppm (Pentyl acetate, all isomers)
Northwest Territories	OEL TWA [ppm]	50 ppm (Pentyl acetate, all isomers)
Ontario	OEL STEL [ppm]	100 ppm (Pentyl acetate, all isomers)
Ontario	OEL TWA [ppm]	50 ppm (Pentyl acetate, all isomers)
Prince Edward Island	OEL STEL [ppm]	100 ppm (Pentyl acetate, all isomers)
Prince Edward Island	OEL TWA [ppm]	50 ppm (Pentyl acetate, all isomers)
Québec	VECD (OEL STEL) [ppm]	100 ppm (Pentyl acetates)
Québec	VEMP (OEL TWA) [ppm]	50 ppm (Pentyl acetates)
Saskatchewan	OEL STEL [ppm]	100 ppm (Pentyl acetate, all isomers)
Saskatchewan	OEL TWA [ppm]	50 ppm (Pentyl acetate, all isomers)
Yukon	OEL STEL	655 mg/m ³
Yukon	OEL STEL [ppm]	125 ppm
Yukon	OEL TWA	525 mg/m ³
Yukon	OEL TWA [ppm]	100 ppm
2-Phenoxyethanol (122-99-6)		
Ontario	OEL TWA	141 mg/m ³
Ontario	OEL TWA [ppm]	25 ppm
Ethylene oxide (75-21-8)		
USA ACGIH	ACGIH OEL TWA [ppm]	1 ppm
USA ACGIH	ACGIH chemical category	Suspected Human Carcinogen
USA ACGIH	BEI (BLV)	Parameter: N-(2-Hydroxyethyl)valine (HEV) hemoglobin adducts - Medium: blood - Sampling time: not critical (nonspecific) Parameter: S-(2-Hydroxyethyl)mercapturic acid (HEMA) - Medium: urine - Sampling time: end of shift (nonspecific, population based)
USA OSHA	OSHA PEL (TWA) [2]	1 ppm
USA OSHA	OSHA PEL (STEL) [2]	5 ppm (see 29 CFR 1910.1047)
USA OSHA	OSHA Action Level/Excursion Limit	0.5 ppm (Action Level, see 29 CFR 1910.1047) 5 ppm (Excursion Limit, see 29 CFR 1910.1047)
USA NIOSH	NIOSH REL (TWA)	0.18 mg/m ³ (less than stated value)
USA NIOSH	NIOSH REL TWA [ppm]	0.1 ppm (less than stated value)
USA NIOSH	NIOSH REL (Ceiling)	9 mg/m ³
USA NIOSH	NIOSH REL C [ppm]	5 ppm
USA IDLH	IDLH [ppm]	800 ppm
Alberta	OEL TWA	1.8 mg/m ³
Alberta	OEL TWA [ppm]	1 ppm
British Columbia	OEL STEL [ppm]	1 ppm
British Columbia	OEL TWA [ppm]	0.1 ppm

OxiClean™ Max Force™ Laundry Stain Remover (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Manitoba	OEL TWA [ppm]	1 ppm
New Brunswick	OEL TWA	1.8 mg/m ³
New Brunswick	OEL TWA [ppm]	1 ppm
Newfoundland & Labrador	OEL TWA [ppm]	1 ppm
Nova Scotia	OEL TWA [ppm]	1 ppm
Nunavut	OEL STEL [ppm]	2 ppm
Nunavut	OEL TWA [ppm]	1 ppm
Northwest Territories	OEL STEL [ppm]	2 ppm
Northwest Territories	OEL TWA [ppm]	1 ppm
Ontario	OEL STEL	18 mg/m ³ (designated substances regulation)
Ontario	OEL STEL [ppm]	10 ppm (designated substances regulation)
Ontario	OEL TWA	1.8 mg/m ³ (designated substances regulation)
Ontario	OEL TWA [ppm]	1 ppm (designated substances regulation) 1 ppm (applies to workplaces to which the designated substances regulation does not apply)
Prince Edward Island	OEL TWA [ppm]	1 ppm
Québec	VEMP (OEL TWA)	1.8 mg/m ³
Québec	VEMP (OEL TWA) [ppm]	1 ppm
Saskatchewan	OEL STEL [ppm]	2 ppm
Saskatchewan	OEL TWA [ppm]	1 ppm
Yukon	OEL STEL	135 mg/m ³
Yukon	OEL STEL [ppm]	75 ppm
Yukon	OEL TWA	90 mg/m ³
Yukon	OEL TWA [ppm]	50 ppm

Exposure Controls

Appropriate Engineering Controls: For occupational/workplace settings: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Personal Protective Equipment: For occupational/workplace settings and bulk quantities: Gloves. Protective clothing. Protective goggles.



Materials for Protective Clothing: For occupational/workplace settings: Chemically resistant materials and fabrics.

Hand Protection: For occupational/workplace settings: Wear protective gloves.

Eye Protection: For occupational/workplace settings: Chemical safety goggles.

Skin and Body Protection: For occupational/workplace settings: Wear suitable protective clothing.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	: Liquid
Appearance	: Blue, Colorless, Clear, Slight yellow
Odor	: Citrus, floral
Odor Threshold	: No data available
pH	: 7.2 - 8
Evaporation Rate	: No data available
Melting Point	: No data available

OxiClean™ Max Force™ Laundry Stain Remover (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Freezing Point	: No data available
Boiling Point	: No data available
Flash Point	: Not combustible
Auto-ignition Temperature	: No data available
Decomposition Temperature	: No data available
Flammability (solid, gas)	: Not applicable
Lower Flammable Limit	: No data available
Upper Flammable Limit	: No data available
Vapor Pressure	: No data available
Relative Vapor Density at 20°C	: No data available
Relative Density	: No data available
Specific Gravity	: 1.02
Solubility	: Complete in water.
Partition Coefficient: N-Octanol/Water	: No data available
Viscosity	: 300 cP

SECTION 10: STABILITY AND REACTIVITY

Reactivity:

Hazardous reactions will not occur under normal conditions.

Chemical Stability:

Stable under recommended handling and storage conditions (see section 7).

Possibility of Hazardous Reactions:

Hazardous polymerization will not occur.

Conditions to Avoid:

Direct sunlight, extremely high or low temperatures, and incompatible materials.

Incompatible Materials:

Strong acids, strong bases, strong oxidizers.

Hazardous Decomposition Products:

None expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity (Oral): Not classified

Acute Toxicity (Dermal): Not classified

Acute Toxicity (Inhalation): Not classified

LD50 and LC50 Data:

No additional information available

Skin Corrosion/Irritation: Not classified.

pH: 8 – 8.5

Eye Damage/Irritation: Causes serious eye damage.

pH: 8 – 8.5

Respiratory or Skin Sensitization: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified.

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: May cause an allergic skin reaction.

Symptoms/Injuries After Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None known. May produce an allergic reaction.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

OxiClean™ Max Force™ Laundry Stain Remover (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

1,2-Propanediol (57-55-6)	
LD50 Oral Rat	20 g/kg
LD50 Dermal Rabbit	20800 mg/kg
Borax (B4Na2O7.10H2O) (1303-96-4)	
LD50 Oral Rat	3493 mg/kg
LD50 Dermal Rabbit	> 10000 mg/kg
LC50 Inhalation Rat	> 2.04 mg/l (Exposure time: 4 h)
Sodium hydroxide (1310-73-2)	
LD50 Oral Rat	325 mg/kg
Diphenyl oxide (101-84-8)	
LD50 Oral Rat	2450 mg/kg
LD50 Dermal Rabbit	> 7940 mg/kg
3(2H)-Isothiazolone, 2-methyl- (2682-20-4)	
LD50 Oral Rat	120 mg/kg
LD50 Dermal Rabbit	242 mg/kg
LC50 Inhalation Rat	0.11 mg/l/4h
1,2-Benzisothiazol-3(2H)-one (2634-33-5)	
LD50 Oral Rat	1020 mg/kg
LD50 Dermal Rat	> 2000 mg/kg
Alcohols, C12-15, ethoxylated (68131-39-5)	
LD50 Oral Rat	1600 – 2700 mg/kg
LD50 Dermal Rat	5000 mg/kg
2-Phenoxyethanol (122-99-6)	
LD50 Oral Rat	1850 mg/kg
LD50 Dermal Rabbit	5 ml/kg
Alcohols, C12-15, ethoxylated (68131-39-5)	
LD50 Oral Rat	1600 – 2700 mg/kg
LD50 Dermal Rat	5000 mg/kg
Ethylene oxide (75-21-8)	
LD50 Oral Rat	72 mg/kg
LC50 Inhalation Rat	800 ppm/4h
Alcohols, C10-16, ethoxylated (68002-97-1)	
ATE US/CA (oral)	500.00 mg/kg body weight
Ethylene oxide (75-21-8)	
IARC Group	1
National Toxicology Program (NTP) Status	Known Human Carcinogens.
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.
OSHA Specifically Regulated Carcinogen List	In OSHA Specifically Regulated Carcinogen list.

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Ecology - General: Toxic to aquatic life.

1,2-Propanediol (57-55-6)	
LC50 Fish 1	51600 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 - Crustacea [1]	10000 mg/l (Exposure time: 24 h - Species: Daphnia magna)
LC50 Fish 2	41 – 47 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 - Crustacea [2]	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
NOEC Chronic Crustacea	1000 mg/l
NOEC Chronic Algae	1000 mg/l
Borax (B4Na2O7.10H2O) (1303-96-4)	
EC50 - Crustacea [1]	644 mg/l

OxiClean™ Max Force™ Laundry Stain Remover (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Sodium hydroxide (1310-73-2)	
LC50 Fish 1	45.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 - Crustacea [1]	40 mg/l
Diphenyl oxide (101-84-8)	
LC50 Fish 1	4 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 Fish 2	4 – 7.9 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
ErC50 algae	0.58 mg/l
NOEC Chronic Algae	0.32 mg/l
1,2-Benzisothiazol-3(2H)-one (2634-33-5)	
EC50 - Crustacea [1]	0.99 mg/l
Alcohols, C12-15, ethoxylated (68131-39-5)	
LC50 Fish 1	2.7 mg/l (Exposure time: 96 h - Species: Fathead minnow (Pimephales promelas))
EC50 - Crustacea [1]	0.4 – 0.75 mg/l (Exposure time: 48 h - Species : Daphnia)
ErC50 algae	0.9 mg/l (Exposure time: 96 h - Species: Algae)
Isoamyl acetate (123-92-2)	
LC50 Fish 1	11.1 mg/l (Eposure time: 96 h - Species: Danio rerio)
2-Phenoxyethanol (122-99-6)	
LC50 Fish 1	344 mg/l
EC50 - Crustacea [1]	> 500 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 Fish 2	366 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
Ethylene oxide (75-21-8)	
LC50 Fish 1	73 – 96 mg/l (Exposure time: 96 h - Species: Pimephales promelas)
EC50 - Crustacea [1]	137 – 300 mg/l (Exposure time: 48 h - Species: Daphnia magna)

Persistence and Degradability

OxiClean™ Max Force™ Laundry Stain Remover (NA GHS 2015)	
Persistence and Degradability	Not established.

Bioaccumulative Potential

OxiClean™ Max Force™ Laundry Stain Remover (NA GHS 2015)	
Bioaccumulative Potential	Not established.
1,2-Propanediol (57-55-6)	
BCF Fish 1	< 1
Log POW	-0.92
Diphenyl oxide (101-84-8)	
BCF Fish 1	470
Log POW	4.2
1,2-Benzisothiazol-3(2H)-one (2634-33-5)	
Log POW	1.3 (at 25 °C)
2-Phenoxyethanol (122-99-6)	
Log POW	1.13 (at 25 °C)
Ethylene oxide (75-21-8)	
Log POW	-0.3 (at 25 °C)

Mobility in Soil

No additional information available

Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, and international regulations

Additional Information: Container may remain hazardous when empty. Continue to observe all precautions.

OxiClean™ Max Force™ Laundry Stain Remover (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Ecology - Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

In Accordance with DOT

Not regulated for transport

In Accordance with IMDG

Not regulated for transport

In Accordance with IATA

Not regulated for transport

In Accordance with TDG

Not regulated for transport

SECTION 15: REGULATORY INFORMATION

US Federal and International Regulations

OxiClean™ Max Force™ Laundry Stain Remover (NA GHS 2015)	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Health hazard - Respiratory or skin sensitization Health hazard - Serious eye damage or eye irritation
1,2-Propanediol (57-55-6)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on the Canadian DSL (Domestic Substances List) Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) Listed on the Canadian IDL (Ingredient Disclosure List) Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on the NCI (Vietnam - National Chemicals Inventory)	
Borax (B4Na2O7.10H2O) (1303-96-4)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on the Canadian DSL (Domestic Substances List) Listed on the Canadian IDL (Ingredient Disclosure List) Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Japanese Pollutant Release and Transfer Register Law (PRTR Law) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on the NCI (Vietnam - National Chemicals Inventory)	
Sodium hydroxide (1310-73-2)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on the Canadian DSL (Domestic Substances List)	

OxiClean™ Max Force™ Laundry Stain Remover (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) Listed on the Canadian IDL (Ingredient Disclosure List) Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Japanese Poisonous and Deleterious Substances Control Law Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on the NCI (Vietnam - National Chemicals Inventory)	
CERCLA RQ	1000 lb
Diphenyl oxide (101-84-8)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on the Canadian DSL (Domestic Substances List) Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) Listed on the Canadian IDL (Ingredient Disclosure List) Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Japanese Pollutant Release and Transfer Register Law (PRTR Law) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on the NCI (Vietnam - National Chemicals Inventory)	
3(2H)-Isothiazolone, 2-methyl- (2682-20-4)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on the Canadian DSL (Domestic Substances List) Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on the NCI (Vietnam - National Chemicals Inventory)	
EPA TSCA Regulatory Flag	PMN - PMN - indicates a commenced PMN substance. SP - SP - indicates a substance that is identified in a proposed Significant New Uses Rule.
1,2-Benzisothiazol-3(2H)-one (2634-33-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on the Canadian DSL (Domestic Substances List) Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)	

OxiClean™ Max Force™ Laundry Stain Remover (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemicals Inventory)

Alcohols, C12-15, ethoxylated (68131-39-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on the Canadian DSL (Domestic Substances List)
Listed on the EU NLP (No Longer Polymers) inventory
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Japanese Pollutant Release and Transfer Register Law (PRTR Law)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemicals Inventory)

EPA TSCA Regulatory Flag

XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).

Isoamyl acetate (123-92-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on the Canadian DSL (Domestic Substances List)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Listed on the Canadian IDL (Ingredient Disclosure List)
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemicals Inventory)

CERCLA RQ

5000 lb listed under Amyl acetate

2-Phenoxyethanol (122-99-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on the Canadian DSL (Domestic Substances List)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Listed on the Canadian IDL (Ingredient Disclosure List)
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ISHL (Industrial Safety and Health Law)

OxiClean™ Max Force™ Laundry Stain Remover (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on the NCI (Vietnam - National Chemicals Inventory)	
Alcohols, C12-15, ethoxylated (68131-39-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on the Canadian DSL (Domestic Substances List) Listed on the EU NLP (No Longer Polymers) inventory Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Japanese Pollutant Release and Transfer Register Law (PRTR Law) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on the NCI (Vietnam - National Chemicals Inventory)	
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).
Ethylene oxide (75-21-8)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on the Canadian DSL (Domestic Substances List) Listed on IARC (International Agency for Research on Cancer) Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) Listed on the Canadian IDL (Ingredient Disclosure List) Listed as carcinogen on NTP (National Toxicology Program) Listed on the United States SARA Section 302 Subject to reporting requirements of United States SARA Section 313 Listed on EPA Hazardous Air Pollutant (HAPS) Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Japanese Poisonous and Deleterious Substances Control Law Japanese Pollutant Release and Transfer Register Law (PRTR Law) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on the NCI (Vietnam - National Chemicals Inventory)	
CERCLA RQ	10 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	1000 lb
SARA Section 313 - Emission Reporting	0.1 %
Alcohols, C10-16, ethoxylated (68002-97-1)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on the Canadian DSL (Domestic Substances List) Listed on the EU NLP (No Longer Polymers) inventory Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on KECL/KECI (Korean Existing Chemicals Inventory)	

OxiClean™ Max Force™ Laundry Stain Remover (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Japanese Pollutant Release and Transfer Register Law (PRTR Law) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on the NCI (Vietnam - National Chemicals Inventory)	
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).
Alcohols, C12-16, ethoxylated (68551-12-2)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on the Canadian DSL (Domestic Substances List) Listed on the EU NLP (No Longer Polymers) inventory Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Japanese Pollutant Release and Transfer Register Law (PRTR Law) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on the NCI (Vietnam - National Chemicals Inventory)	
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).

US State Regulations

1,2-Propanediol (57-55-6)	
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List	
Borax (B4Na2O7.10H2O) (1303-96-4)	
U.S. - Pennsylvania - RTK (Right to Know) List U.S. - Massachusetts - Right To Know List	
Sodium hydroxide (1310-73-2)	
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List U.S. - Massachusetts - Right To Know List U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List	
Diphenyl oxide (101-84-8)	
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List U.S. - Massachusetts - Right To Know List	
Isoamyl acetate (123-92-2)	
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List U.S. - Massachusetts - Right To Know List U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List	
Ethylene oxide (75-21-8)	
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List U.S. - Massachusetts - Right To Know List U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List	

OxiClean™ Max Force™ Laundry Stain Remover (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Canadian Regulations

1,2-Propanediol (57-55-6)
Listed on the Canadian DSL (Domestic Substances List)
Borax (B4Na2O7.10H2O) (1303-96-4)
Listed on the Canadian DSL (Domestic Substances List)
Sodium hydroxide (1310-73-2)
Listed on the Canadian DSL (Domestic Substances List)
Diphenyl oxide (101-84-8)
Listed on the Canadian DSL (Domestic Substances List)
3(2H)-Isothiazolone, 2-methyl- (2682-20-4)
Listed on the Canadian DSL (Domestic Substances List)
1,2-Benzisothiazol-3(2H)-one (2634-33-5)
Listed on the Canadian DSL (Domestic Substances List)
Alcohols, C12-15, ethoxylated (68131-39-5)
Listed on the Canadian DSL (Domestic Substances List)
Isoamyl acetate (123-92-2)
Listed on the Canadian DSL (Domestic Substances List)
2-Phenoxyethanol (122-99-6)
Listed on the Canadian DSL (Domestic Substances List)
Alcohols, C12-15, ethoxylated (68131-39-5)
Listed on the Canadian DSL (Domestic Substances List)
Ethylene oxide (75-21-8)
Listed on the Canadian DSL (Domestic Substances List)
Alcohols, C10-16, ethoxylated (68002-97-1)
Listed on the Canadian DSL (Domestic Substances List)
Alcohols, C12-16, ethoxylated (68551-12-2)
Listed on the Canadian DSL (Domestic Substances List)

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision : 08/12/2022

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR) SOR/2015-17.
This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this SDS differ from the labeling requirements of the CPSC and, as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

GHS Full Text Phrases:

H220	Extremely flammable gas
H226	Flammable liquid and vapor
H280	Contains gas under pressure; may explode if heated
H290	May be corrosive to metals
H301	Toxic if swallowed
H302	Harmful if swallowed
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation

OxiClean™ Max Force™ Laundry Stain Remover (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H320	Causes eye irritation
H330	Fatal if inhaled
H331	Toxic if inhaled
H335	May cause respiratory irritation
H340	May cause genetic defects
H350	May cause cancer
H360	May damage fertility or the unborn child
H372	Causes damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

This Product Safety Data Sheet is offered solely for your information, consideration and investigation. Church & Dwight Co., Inc. provides no warranties; either expressed or implied, and assumes no responsibility for the accuracy or completeness of data contained herein. Church & Dwight Co., Inc. urges persons receiving this information to make their own determination as to the information suitability for their particular application.

Church&Dwight NA GHS SDS 2015