

Ink Out Intermediate Fg

SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

Manufacturer's Name: Pariser Industries
 Address : 91 Michigan Ave
 Paterson, NJ 07503
 Website : www.Pariserchem.com
 Phone : 973-569-9090
 Emergency Phone : 1-800-424-9300 (Chemtrec)
 Chemtrec Contract : CCN16764

T : 973-569-9090
 F : 973-569-9101
 Info@Pariserchem.com

Date Printed: 12/8/2016
 Name of Preparer: Environmental Dept

Product Name: Ink Out Intermediate Fg
 CAS No. : Mixture
 Product Form: Liquid
 Trade Secret Registry # 307554-5206P

HMIS Codes:

H	F	R	P
2	2	0	B

UN Number:
 UN1993
 Recommended Use of Chemical: Industrial

SECTION 2 – HAZARDS IDENTIFICATION

Carcinogenicity:

NTP Carcinogen: No

IARC Monographs: No

OSHA Regulated: No

GHS Classification:



GHS Environmental Statements:

GHS Health Statements:

Eye Irritation (2A) Acute Toxicity Oral (4) Acute Toxicity Dermal (5) Acute Toxicity Inhalation (4) Skin Irritation (2) Target Organ Toxicity- Single Exposure (3)

GHS Physical Statements:

Flammable Liquids (2)

GHS Hazard Statements:

H319: Causes serious eye irritation

H336: May cause drowsiness or dizziness

H226: Flammable liquid and vapour

GHS Precautionary Statements:

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray

P264: Wash ... thoroughly after handling.

P270: Do not eat, drink or smoke when using this product

P271: Use only outdoors or in a well-ventilated area

P281: Use personal protective equipment as required

P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing

P312: Call a POISON CENTER/doctor/...if you feel unwell.

P337+313: If eye irritation persists get medical advice/attention

P362: Take off contaminated clothing.

P370+378: In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide for extinction.

P403+235: Store in a well ventilated place. Keep cool

P501: Dispose of contents/container in accordance with local/regional/national/international regulations.

P233: Keep container tightly closed

P242: Use non-sparking tools.

P243: Take action to prevent static discharges.

P280: Wear protective gloves/protective clothing/eye protection/face protection

P303+361+353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

GHS Signal Word: Danger

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

Name of Chemical Contributing to Known Hazards:

ETHYL ACETATE

ETHYLENE GLYCOL MONOBUTYL ETHER

BENZENE, MONO-C10-13-ALKYL DERIVS., FRACTIONATION BOTTOMS, HEAVY ENDS, SULFONATED, SODIUM SALTS

Common Name of Chemical Contributing to Known Hazards:

Mixture

Name	Product Identifier (CAS No)	%
ETHYL ACETATE	141-78-6	10-20

ETHYLENE GLYCOL MONOBUTYL ETHER	111-76-2	50-90
BENZENE, MONO-C10-13-ALKYL DERIVS., FRACTIONATION BOTTOMS, HEAVY ENDS, SULFONATED, SODIUM SALTS	148520-82-5	1-5

SECTION 4 – FIRST AID MEASURES

Emergency and First Aid Procedures

First – Aid Measures General:

Check the vital functions. Unconscious: Maintain adequate airway and respiration. Respiratory Arrest: Artificial respiration or oxygen. Cardiac Arrest: Perform resuscitation. Victim conscious with labored breathing: Half-seated. Victim in Shock: On his back with legs slightly raised. Vomiting: Prevent asphyxia/aspiration pneumonia. Prevent cooling by covering the victim (no warming up). Keep watching the victim. Give psychological aid. Keep the victim calm, avoid physical strain. Depending on the victim's condition: Doctor/Hospital. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show label where possible).

First – Aid Measures after Inhalation:

Remove the victim into fresh air. Respiratory Problems: consult a doctor/medical service. Remove to fresh air and keep at rest in a position comfortable for breathing. If symptoms continue seek medical attention.

First – Aid Measures after Skin Contact:

Wash immediately with lots of water (15 minutes)/shower. Do not apply (chemical) neutralizing agents. Remove clothing while washing. Cover wounds with sterile bandage. Consult a doctor/medical service if required.

First – Aid Measures after Eye Contact:

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

First – Aid Measures after Ingestion:

Rinse mouth with water. Immediately after ingestion: Give lots of water to drink. Do not induce vomiting. Do not give activated charcoal. Do not give chemical antidote. Immediately consult a doctor/medical service. Ingestion of large quantities: Go immediately to hospital.

Most Important Symptoms and Effects (Acute and Delayed)

Symptoms/Injuries after Inhalation:

Dry/sore throat. Coughing. Irritation of the respiratory tract and/or nasal mucous membranes. Delayed symptoms include possible laryngeal spasm/oedema. Risk of lung oedema. Respiratory difficulties.

Symptoms/Injuries after Skin Contact:

Absorption through skin could cause itching, irritation, and rashes.

Symptoms/Injuries after Eye contact:

Redness, itchiness, burning.

Symptoms/Injuries after Ingestion:

May cause headache, dizziness, and gastrointestinal distress.

SECTION 5 – FIRE-FIGHTING MEASURES**Extinguishing Media:**

Water fog or spray, Foam, Dry Powder, Carbon Dioxide (CO2).

Unsuitable Extinguishing Media:

Do not use water jet as an extinguisher as this will spread the fire.

Hazards Arising From the Chemical:

Vapours may form explosive mixture with air. Flash back possible over considerable distance. Use water spray to disperse the vapors. NFPA Class IB flammable liquid.

Advice for Firefighters**Precautionary Measures\Firefighting Instructions:**

In case of fire and/or explosion do not breathe fumes. Use standard fire fighting procedures and consider hazards of other involved materials.

Special Protective Equipment:

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

SECTION 6 – ACCIDENTAL RELEASE MEASURES**Personal Precautions, Protective Equipment, and Emergency Procedures****Protective Equipment:**

Gloves and Goggles. Wear additional appropriate protective equipment and clothing when necessary.

Emergency Procedures:

Mark the danger area. Ensure adequate ventilation. No naked flames. Wash contaminated clothes. Large spills/in confined spaces: Consider evacuation.

Environmental Precaution:

Prevent soil and water pollution. Prevent spreading in sewers. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

Methods and Material for Containment and Cleaning Up**Containment:**

Contain released substance, pump into suitable containers. Plug the leak, cut off the supply. Dam up the liquid spill.

Methods for Clean Up:

Take up liquid spill into absorbent material, e.g.: dry sand/earth or powdered limestone. Scoop absorbed substance into closing containers. Carefully collect the spill/leftovers. Wash away remainder with plentiful water.

Damaged/cooled tanks must be emptied. Clean contaminated surfaces with an excess of water. Take collected spill to manufacturer/competent authority. Wash clothing and equipment after handling.

SECTION 7 - HANDLING AND STORAGE

Precautions for Safe Handling:

Wear appropriate personal protective equipment. Open containers slowly, on a stable surface. Containers of this product must be properly labeled. Keep container tightly closed when not in use. Wash thoroughly after using this material. Inspect all incoming containers before storage, to ensure containers are properly labeled and not damaged. Empty containers may contain residual materials, therefore, empty containers should be handled with care.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions:

Store in a dry area. Keep only in the original container in a cool, well ventilated place, away from direct sunlight and sources of intense heat. Keep container closed when not in use. Protect against freezing. Store away from incompatible materials. Provide for a tub to collect spills. Unauthorized persons are not admitted. If appropriate, post warning signs in storage and use areas. Meet the legal requirements.

Incompatible Materials & Products:

Acids. Oxidizers or Oxidizing Materials.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Occupational Exposure Limits: U.S. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	CAS #	Type	Value
ETHYL ACETATE	141-78-6	PEL	240 mg/m ³
ETHYL ACETATE	141-78-6		

Appropriate Engineering Controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Provide adequate general and local exhaust ventilation.

Individual Protection Measures

Avoid all unnecessary exposure.

Personal Protective Equipment

Hand Protection:

Wear protective gloves.

Eye Protection:

Chemical goggles or face shield.

Skin and Body Protection:

Corrosion-proof clothing.

Respiratory Protection:

Wear appropriate mask.

Other Information:

Do not eat, drink, or smoke during use.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

<u>Physical State:</u>	Liquid
<u>Color:</u>	Clear amber
<u>Odor:</u>	Aromatic
<u>Odor Threshold:</u>	No Data Available
<u>pH:</u>	N/A
<u>Melting Point:</u>	No Data Available
<u>Freezing Point:</u>	No Data Available
<u>Boiling Point:</u>	77 C (170 F)
<u>Boiling Point Range:</u>	No Data Available
<u>Flashpoint:</u>	113 F
<u>Evaporation Rate:</u>	No Data Available
<u>Flammability (Solid, Gas):</u>	No Data Available
<u>Explosive Limits:</u>	No Data Available
<u>Vapor Pressure:</u>	97 hPa @ 20 C (68 F)
<u>Vapor Density @ 20C:</u>	No Data Available
<u>Specific Gravity:</u>	7.477
<u>Solubility:</u>	Soluble in water
<u>Partition Coefficient</u>	
<u>(n-octanol/water):</u>	0.68; @ 35 C, 77 F
<u>Auto-Ignition Temperature:</u>	426 C (799 F)

SECTION 10 – STABILITY AND REACTIVITY

Stability:

Stable under normal conditions

Possibility of Hazardous Reactions:

This product is stable and non-reactive under normal conditions of use, storage, and transport.

Conditions to Avoid:

Keep away from heat, sparks and flame.

Incompatibility (Materials to Avoid):

Acids.

Oxidizers or Oxidizing Materials.

Hazardous Decomposition Products:

Aldehydes Ketones Organic acids

Hazardous Polymerization:

Will Not Occur

SECTION 11 – TOXICOLOGICAL INFORMATION

Acute Toxicity:

Prolonged contact with the undiluted material may cause irritation.

141-78-6	ETHYL ACETATE	LD50 Dermal	Rabbit	>2000 mg/kg
141-78-6	ETHYL ACETATE	LD50 Oral	Rat	>2000 mg/kg

Carcinogenicity: Not Classified

Germ Cell Mutagenicity: Not Classified

Routes of Exposure/Symptoms of Exposure
Symptoms/Injuries after Inhalation:

Dry/sore throat. Coughing. Irritation of the respiratory tract and/or nasal mucous membranes. Delayed symptoms include possible laryngeal spasm/oedema. Risk of lung oedema. Respiratory difficulties.

Symptoms/Injuries after Skin Contact:

Absorption through skin could cause itching, irritation, and rashes.

Symptoms/Injuries after Eye Contact:

Redness, itchiness, burning.

Symptoms/Injuries after Ingestion:

May cause headache, dizziness, and gastrointestinal distress.

Chronic Symptoms:

Prolonged exposure may cause chronic effects.

SECTION 12 – ECOLOGICAL

Ecotoxicity:

141-78-6	ETHYL ACETATE	EC50	Crustacea (water flea)	>100 mg/l, 48 hrs
141-78-6	ETHYL ACETATE	LC50	Fish (Pimephales promelas -	>100 mg/l, 96 hrs

Persistence and Degradability: This material is biodegradable.

Bioaccumulative Potential: Not expected to bioaccumulate.

Mobility in Soil:
Other Adverse Effects: Avoid release to the environment.

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste Disposal Method:

Dispose in an approved waste management facility. Care must be taken when using or disposing of chemical materials and/or their containers to prevent environmental contamination. It is your duty to dispose of the chemical materials and/or their containers in accordance with all Federal, State, Local, and National regulations regarding disposal. Do not discharge into surface water. Avoid release to the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal. Since empty containers may contain product residue follow label warnings even after container is empty.

SECTION 14 – TRANSPORT INFORMATION

DOT:

<u>UN Number:</u>	UN1993
<u>UN Proper Shipping Name:</u>	FLAMMABLE LIQUIDS, N.O.S. (ETHYLENE GLYCOL MONOBUTYL ETHER, ETHYL ACETATE)
<u>Transport Hazard Class:</u>	3
<u>Subsidiary Hazard Class(es):</u>	
<u>Packaging Group:</u>	III
<u>Special Precautions/Provisions:</u>	49CFR Parts 100-185, Emergency Response Guidebook #128

SECTION 15 – REGULATORY INFORMATION

US Federal Regulations

CERCLA Hazardous Substance List (40 CFR 302.4): Listed

DOT: 49CFR Parts 100-185

SARA 302 (Extremely Hazardous Substance): No

SARA 311/312 Hazardous Chemical: Yes

SARA 313 (TRI reporting): Yes

SECTION 16 – OTHER INFORMATION

Date of Preparation of SDS/Date of Last Change: December 8, 2016

Disclaimer:

The information in this SDS was obtained from current and reliable sources, and to the best knowledge of Pariser Industries is deemed to be accurate. However, the data is provided without any warranty, expressed or implied, regarding its correctness and accuracy. Since the conditions for use, handling, storage, and disposal of this product are beyond the control of Pariser Industries, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage, or expense arising out of the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement of omission in this SDS. Various government agencies (e.g. DOT, EPA, FDA) may have specific regulations concerning the transportation, handling, storage, use or disposal of this product, which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.